

Bearded Dragon Starter Kit Set Up Guide

[illegible]

Remove the items from Starter Kit box



2

For this set up we are using a Vivaxotic Bearded Dragon AAL Vivarium (Available separately)

**For this set up we are using a Vivexotic Bearded Dragon AAL Vivarium
(Available separately)**

3

Start by removing the vivarium top (if already installed)
To do this loosen the 4 cam fittings

Start by removing the vivarium top (if already installed)
To do this loosen the 4 cam fittings

4



Place the Vivarium top on a flat surface, then position the Heat Guard and T5 light fixture as shown

Place the Vivarium top on a flat surface, then position the Heat Guard and T5 light fixture as shown



5

Screw the Basking Bulb into the heat guard fixture

Screw the Basking Bulb into the heat guard fixture



6

Attach the metal guard

Attach the metal guard

7

A close-up photograph showing a person's hand, wearing a black wristwatch, using a black marker to mark the locations for screws on a dark, perforated metal heat guard. The heat guard is being held against a dark, textured surface. A white text box with a large number '8' is in the top left corner. A white text box at the bottom of the image contains the instruction: 'Mark the screw locations on both sides of the heat guard fixing plates'.


Mark the screw locations on both sides of the heat guard fixing plates



9




Using a drill make a small pilot hole for the screws



Using a drill make a small pilot hole for the screws




Fix in place with the 2 screws.

Fix in place with the 2 screws.







The probe can be secured using a cable clip available separately



Place the dishes in the vivarium



Use the Thermometer to check the hot spot temp



And the cool end. You can adjust the Thermostat as required



You can add additional decor to dress your Vivarium
(Available separately)